



7FW/ B

## UNITED STATES PATENT AND TRADEMARK OFFICE

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND  
DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

### NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

The drawings filed 11/12/03 have been received. However, an inconsistency exists between the drawings and the Brief Description of the Drawings in the specification.

Figures \_\_\_\_\_ are listed in the Brief Description of the Drawings in the specification but not contained in the Drawings.

Figures 12-15 are contained in the Drawings but not listed in the Brief Description of the Drawings in the specification.

Applicant is required to correct the above-noted inconsistency within a time period of **ONE MONTH or THIRTY (30) DAYS, whichever is longer**, from the mailing date of this Notice, or within the time remaining in the time period set forth in the Notice of Allowability (Form PTOL-37) to file corrected drawings, whichever is longer. **NO EXTENSION OF THIS TIME PERIOD MAY BE GRANTED UNDER EITHER 37 CFR 1.136 (a) OR (b)**

Failure to correct the above noted inconsistency will result in **abandonment** of the application.

The file will be held in the Publishing Division to await the correction of the inconsistency.

#### Return Corrected Drawings/Specification to:

Mail Stop Issue Fee  
Commissioner for Patents  
P.O. Box 1450

Alexandria, VA 22313-1450

Office of Patent Publication/Publishing Division  
Customer Service: 703-308-6789  
1-888-786-0101

FORM PTO-1631 (REV. 10-03)



IN THE UNITED STATES  
PATENT AND TRADEMARK OFFICE

**PATENT & TRADEMARK APPLICATION**

**INVENTORS:**

Bocanegra et al.

**DOCKET NO.:** 6-7-4-5-21

\*\*\*\*\*

**FIRST CLASS MAIL**

These papers are being deposited  
as FIRST CLASS MAIL with the  
US POST OFFICE addressed to:  
COMMISSIONER FOR PATENTS,  
Alexandria, VA 22313-1450 on  
by Patent Office  
date May 12, 2005

\*\*\*\*\*

**TITLE:** IMPROVED OPTICAL FIBER CABLES

**SERIAL NO:** 10/706,585

**GROUP ART UNIT:** 2839

**FILING DATE:** 11/12/03

**EXAMINER:** CHANDRIKA  
PRASAD

**COMMISSIONER FOR PATENTS**  
**ALEXANDRIA, VA 22313-1450**

**SIR:**

In response to the Notice of Drawing Inconsistency With Specification please  
amend page 6 of the specification as follows: